



+27 60 999 9140

info@microanalytica.co.za

489 Jacqueline Drive, Garsfontein  
Pretoria, Gauteng, 0081

ANALYTICAL EXCELLENCE...

[www.microanalytica.co.za](http://www.microanalytica.co.za)

### Floor Standing High Speed Refrigerated Centrifuge FHS-VH21RL

#### FEATURES:

- Micro-computer control: Non carbon brush, AC motor
- Large LCD display
- Double door locking system
- 40 programs memory for standard runs, programmability is available



6\*500ml



**MODEL SPECIFICATIONS:**

| <b>Model</b>          | <b>FHS-VH21RL</b>      |
|-----------------------|------------------------|
| Max. Speed            | 21000rpm               |
| Max. RCF              | 47580xg                |
| Max. Capacity         | 4*750ml                |
| Speed Precision       | ±30rpm                 |
| Temp. Range           | -20°C~40°C             |
| Temp. Accuracy        | ±2.0°C                 |
| Timing Range          | 1min~23h59min          |
| Noise                 | ≤65dB                  |
| Consumption           | 3500W                  |
| Power Supply          | 110/220V, 50/60Hz, 10A |
| External Size (W*D*H) | 920*1000*1500mm        |
| Package Size (W*D*H)  | 1070*1180*1750mm       |
| Net Weight (kg)       | 190                    |
| Gross Weight (kg)     | 230                    |

**ROTOR:**

| No.   | Rotor       | Capacity   | Speed (rpm) | RCF (xg) |
|-------|-------------|--|-------------|----------|
| No. 1 | Angle Rotor | 16*10ml  | 21000       | 47580    |
| No. 2 | Angle Rotor | 6*50ml   | 20000       | 43000    |
| No. 3 | Angle Rotor | 8*100ml  | 13000       | 19830    |
| No. 4 | Angle Rotor | 6*250ml  | 12000       | 21700    |
| No. 5 | Angle Rotor | 6*500ml  | 8000        | 11680    |
| No. 6 | Angle Rotor | 4*250ml  | 13000       | 23420    |
| No. 7 | Angle Rotor | 8*50ml   | 15000       | 27720    |
| No. 8 | Swing Rotor | 4*750ml  | 4000        | 2300     |
|       | Adaptor     | 4*500ml, 4*250ml, 3*4*100ml, 5*4*50ml, 7*4*50ml, 14*4*15/20ml, 19*4*15ml, 24*4*5ml, 37*4*5ml |             |          |